



Yes, you can.®

Invacare Deutschland GmbH
Kleiststraße 49, 32457 Porta Westfalica, Germany

Powered Wheelchairs
European Prescription Form
EPF1G1 TDX SP2 (116)

Invacare® TDX SP2®
1581674



Customer Name

Order No:

Order Date:

please make your selection with a cross in the box ◆ Standard feature ○ Free of Charge (NC 9999) not compatible with ref 9999

| Code | Description | |
|--|---|--|
| ARW0071 | <input type="checkbox"/> TDX SP2 Special Model Low Rider 73Ah Batteries, Seat Height 420 mm | NC 1091, 1092, 1093, 1145, 1199, 1095, 2110, 2020 |
| ARW0072 | <input checked="" type="checkbox"/> TDX SP2 Special Model Low Rider 60Ah Batteries, Seat Height 403 mm | NC 1091, 1092, 1093, 1145, 1199, 1260,1095, 2110, 2191, 2198, 2020 |
| SEATING TYPE | | |
| ARH2100 | <input checked="" type="checkbox"/> 1 Invacare® Modulite Seat Unit | NC 0055, 0522, 0564,0599 |
| SEAT RAMME | | |
| ARH2111 | <input checked="" type="checkbox"/> Telescopic Seat Frame and Plate | NC 2141, 2161, (2124+2192/2194+2172/2173) |
| ARH2112 | <input type="checkbox"/> Velcro setebunn + 30 mm seat height | NC 2141, 2161, (2124+2192/2194+2172/2173) |
| SETEINNSTILLING | | |
| ARH2121 | <input type="checkbox"/> 380 mm SETEBREDDE | NC 2110, 2143, (2138+2142) |
| ARH2122 | <input checked="" type="checkbox"/> 430 mm SETEBREDDE | NC (2138+2142) |
| ARH2123 | <input type="checkbox"/> 480 med mer SETEBREDDE | NC 2110, (2138+2142) |
| ARH2124 | <input type="checkbox"/> 530 med mer SETEBREDDE | NC 2110, 2174, 2175, 2176, 2143, (2111/2112/2109+2192/2194+2172/2173) |
| ARH2129 | <input checked="" type="checkbox"/> Standard Depth Package (SD range 410 - 510 mm) | NC 2110, 2138 |
| ARH2130 | <input type="checkbox"/> Extended Depth Package (SD range 510 - 560 mm) | NC 2110, 2132, 2134 |
| SETEDYBDE | | |
| ARH2132 | <input type="checkbox"/> 410 mm | NC 2130, 2144, 2196, 2197, 2198, (2191+2113) |
| ARH2134 | <input type="checkbox"/> 460 mm | NC 2130 |
| ARH2136 | <input checked="" type="checkbox"/> 510 mm | NC 2144, 2143 |
| ARH2138 | <input type="checkbox"/> 560 mm | NC 2129, 2141, 2143, 2144, (2121/2122/2123+2142),(2142+2152/2153/2154) |
| SEAT CUSHION (sizes according to seat frame settings) | | |
| ARH2142 | <input checked="" type="checkbox"/> Matrx Flo-tech Cushion: Lite (75mm up to 127 kg);Contour (100mm up to 191 kg) | NC 2109, (2121/2122/2123+2138), (2138+2152/2153/2154) |
| ARH2140 | <input type="checkbox"/> Without seat cushion | |
| RYGG LENGDE VELCRO/MATRIX (IKKE FLEX) | | |
| ARH2163 | <input type="checkbox"/> Ryggør kort (Kun velcro og matrixrygg)(480 mm) | NC 2110, 2172, 2173 |
| ARH2162 | <input checked="" type="checkbox"/> Ryggør lang (540 mm) | NC 2110 |
| BACKREST UPHOLSTERY / CUSHION | | |
| ARH2171 | <input type="checkbox"/> VELCRO RYGG (long = 540 mm /short = 480 mm) | NC 2152, 2153, 2154, 1445, 1446,1496 |
| ARH2172 | <input type="checkbox"/> Flex3 UTEN PUTE | NC 2110, 2161, 2163, (2111/2112+2124+2192/2194) |
| ARH2173 | <input checked="" type="checkbox"/> Flex3 MED PUTE | NC 2110, 2161, 2163, (2111/2112+2124+2192/2194) |
| ARH2174 | <input type="checkbox"/> Matrx Posture Back, height 400 | NC 1445, 1446,1496, 2124 |

| | | | |
|--|--------------------------|--|---|
| ARH2175 | <input type="checkbox"/> | Matrx Posture Back, height 500 | NC 1445, 1446, 1496, 2124 |
| ARH2176 | <input type="checkbox"/> | Matrx Elite Full Back , height 500 | NC 1445, 1446, 1496, 2124, 2192, 2193, 2194 |
| ARH2170 | <input type="checkbox"/> | KUN RYGGRØR, IKKE RYGG | NC 1445, 1446, 1496 |
| POLSTER | | | |
| ARH2151 | <input type="checkbox"/> | SORT NYLON | |
| ARH2152 | <input type="checkbox"/> | SORT DARTEX | NC 2141, 2171, (2138+2142) |
| ARH2153 | ◆ | SORT M ORANGE SØM | NC 2141, 2171, (2138+2142) |
| ARH2154 | <input type="checkbox"/> | SORT PLYSJ | NC 2141, 2171, (2138+2142) |
| ARMLÉN | | | |
| ARH2191 | ◆ | T-Arm detachable | NC 0072, 0074 (2132+2113), 2184, 2185, 2186, 2187, 2188, 2189. |
| ARH2198 | <input type="checkbox"/> | Padded Armrest with integrated cloth guard | NC 2132, 2195, 2196, 2197, 0072, 0074, 2184, 2185, 2186, 2187, 2188, 2189. |
| ARH2183 | <input type="checkbox"/> | Inrigged Armrests (25 mm each side) | NC 2184, 2185, 2186, 2187, 2188, 2189, 2199 |
| ARH2193 | <input type="checkbox"/> | Flip-up Armrest | NC 2110, 1445, 1446, 2176, 2199 |
| ARH2192 | <input type="checkbox"/> | OPPFELLBAR FOLLOWING (HØYDE 230 - 300 mm) | NC 2110, 2176, 2184, 2185, 2186, 2187, 2188, 2189 , 1445, 1446, 2199, (2109/2111/2112+2124+2172/2173) |
| ARH2194 | <input type="checkbox"/> | OPPFELLBAR FOLLOWING (HØYDE 300 - 360 mm) | NC 2110, 2176, 2184, 2185, 2186, 2187, 2188, 2189 , 1445, 1446, 2199, (2109/2111/2112+2124+2172/2173) |
| ARH2190 | <input type="checkbox"/> | UTEN ARMLÉN | NC 1478, 1479, 1480 |
| ARMPAD | | | |
| ARH2195 | <input type="checkbox"/> | Short Armpad (325 mm) | NC 2198 |
| ARH2196 | ◆ | Long Armpad (375 mm) | NC 2132, 2198 |
| ARH2197 | <input type="checkbox"/> | Long Ergonomic Armpad (397 mm) | NC 2132, 2198 |
| ARH2199 | <input type="checkbox"/> | Soft Armpad | NC 2198, 2183 , 2193, 2192, 2194 |
| LÅRSTØTTER | | | |
| ARH2184 | <input type="checkbox"/> | Hip Support LH, pad size 140 x 100 mm | NC 2191, 2198, 2192, 2194 , 2183 |
| ARH2186 | <input type="checkbox"/> | Hip Support LH, pad size 230 x 100 mm | NC 2191, 2198, 2192, 2194 , 2183 |
| ARH2188 | <input type="checkbox"/> | Hip Support LH, pad size 330 x 100 mm | NC 2191, 2198, 2192, 2194 , 2183 |
| HIP SUPPORTS RH (for Followig and Flip-up Armrests) | | | |
| ARH2185 | <input type="checkbox"/> | Hip Support RH, pad size 140 x 100 mm | NC 2191, 2198, 2192, 2194 , 2183 |
| ARH2187 | <input type="checkbox"/> | Hip Support RH, pad size 230 x 100 mm | NC 2191, 2198, 2192, 2194 , 2183 |
| ARH2189 | <input type="checkbox"/> | Hip Support RH, pad size 330 x 100 mm | NC 2191, 2198, 2192, 2194 , 2183 |
| HEADREST / NECKREST (Dartex) | | | |
| ARH1350 | <input type="checkbox"/> | Neckrest depth adjustable | |
| ARH1432 | ◆ | Headrest sideways adjustable | |
| ARH1427 | <input type="checkbox"/> | Headrest with cheek support | |
| ARH1496 | <input type="checkbox"/> | Non Invacare Headrest but profile mount fitting Flex3 hard back | NC 2170, 2171, 2174, 2175, 2176 |
| ARH1495 | <input type="checkbox"/> | Non Invacare Headrest - no mounting hardware (with Backbrace/Pushbar dia. 22mm in conjunction with telescopic seat frame/backposts) | |
| SIDESTØTTER | | | |
| ARH1446 | <input type="checkbox"/> | Lateral Support (pair) (Dartex) | NC 2170, 2171, 2174, 2175, 2176, 2192, 2193, 2194 |
| ARH1445 | <input type="checkbox"/> | Lateral Support with extended arm (pair) (Dartex) | NC 2170, 2171, 2174, 2175, 2176, 2192, 2193, 2194 |
| SEAT LIFTER / SEAT TILT | | | |
| ARH1094 | ◆ | Seat lifter with powered tilt | NC 0007, 2110, 1638, 1639, 1643, 1644 |
| BACKREST RECLINER | | | |
| ARH0977 | ◆ | Powered Recliner | NC 0007, 2110 |
| LEGRESTS / FOOTRESTS | | | |
| CENTRE MOUNTED LEGRESTS | | | NC 1198, 1199 |

| | | | |
|---|---|--|---|
| ARH0557 | ◆ | SENERBENSTØTTE 1 MOTOR LNX | NC 2110 |
| ARH0501 | □ | UTEN | |
| CALF PADS | | | |
| ARH0583 | ◆ | Calf pads | |
| FOOTPLATE | | | |
| ARH0559 | ◆ | Angle adjustable Footplate | |
| SIDE MOUNTED LEGREST PAIRS LH/RH | | | |
| | | | NC 1198, 1199 |
| ARH0564 | □ | Reinforced hangers, fixed angle (not detachable without tools), incl. Calf pads | NC 2100, 0504, 0512, 0513, 0522 |
| ARH0503 | □ | Hanger Vari F pair | NC 0599 |
| ARH0533 | □ | Hanger Vari A pair | NC 0512, 0514, 0522, 0599 |
| ARH0531 | □ | ELEKTRISKE BENSTØTTER Hanger ADE 0° - 80° pair | NC 0512, 0514, 0522, 0599 |
| ARH0501 | □ | Without Hanger pair | NC 0504, 0512, 0513, 0514, 0522, 0599 |
| FOOTPLATE TYPE / PAIRS | | | |
| | | | NC 1199 |
| ARH0513 | ◆ | Angle and depth adjustable Footplate pair | NC 0501, 0564 |
| FOOTBOARDS | | | |
| | | | NC 1199 |
| ARH0599 | □ | Angle adjustable flip-back, heavy-duty footboard (Recommended for SW ≥ 550 mm) | NC 2100, 0501, 0503, 0531, 0532, 0533 |
| ARH0522 | □ | Angle Adjustable Footboard (for max user weight up to 200 kg) (Recommended for SW ≥ 550 mm) | NC 2100, 0501, 0531, 0532, 0533, 0564 |
| ARW0514 | □ | Angle Adjustable Footboard | only for football chair, (0501/0531/0532/0533) |
| REMOTES | | | |
| REMOTES DX2 / ACS2 & BRACKETS | | | |
| ARH1601 | □ | Standard Remote ACS REM 24SD | |
| ARH1617 | ◆ | Remote REM550, with LCD screen | |
| ARH1611 | □ | REM 34 (Dolphin) | NC 1609 |
| ARH1614 | □ | G90A | NC 1609 |
| ARH1615 | □ | G91S (Master Remote without joystick, a switch or remote joystick must be added to drive the wheelchair) | NC 1707, 1708 |
| ARH1707 | ◆ | Swing Away + height adjust. RH high end | NC 1404, (2100+1478) |
| ARH1708 | □ | Swing Away + height adjust. LH high end | NC 1405, (2100+1479) |
| | □ | ARC 5 (Script for elektronikk) | |
| TRAY / CENTER REMOTES & BRACKETS | | | |
| ARH1607 | □ | Tray Remote REM 41 | NC 1404, 1405, 1609 |
| ARH1608 | □ | Center Remote REM 41 | NC 1404, 1405, 1609 |
| ARW1612 | □ | Tray Remote REM 34, rotatable (only as special) | NC 1404, 1405, 1609 |
| ARH1289 | □ | Swing Away RH | |
| ARH1288 | □ | Swing Away LH | |
| INVACARE IDC DUAL CONTROL + BRACKET | | | |
| ARH1645 | □ | Invacare IDC Dual control | NC 1602, 1616, 1643, 1644, 1618 |
| ARH1228 | □ | High and distance adjustable Bracket RH | NC (1609+ 1289), (1207+1602/1616/1643/1644/1618) |
| ARH1229 | ◆ | High and distance adjustable Bracket LH | NC (1609+1288), (1208+1602/1616/1643/1644/1618) |
| ACS COMPONENTS FOR REMOTE SYSTEM | | | |
| | □ | for ACS components please use the separate order sheet EPF1G1ACS(115)140930 Components are only added, not mounted or programmed! | |
| DRIVE UNIT DETAILS | | | |
| SHROUD COLOURS | | | |
| ARH0237 | ◆ | Electric Silver | |
| CENTRE / DRIVE WHEELS | | | |
| ARH0771 | ◆ | 3.00-8 grey pneumatic | |

| | | | |
|-----------------------------------|--------------------------|---|--|
| ARH0773 | <input type="checkbox"/> | 3.00-8 grey puncture protected (sealed) | |
| ARH0750 | <input type="checkbox"/> | 3.00-8 grey puncture proof (solid inlay) | |
| MOTOR TYPE / SPEED OPTIONS | | | |
| ARH1284 | ◆ | Motortype 8 km/h (4-pole) (max user weight 180kg) | NC 0007 |
| G-TRAC | | | |
| ARH1215 | <input type="checkbox"/> | G-Trac Module | |
| CHARGER | | | |
| ARH1389 | ◆ | Charger 10A | NC UK, IE, CH, AE, IL |
| LIGHT | | | |
| ARH1437 | ◆ | LED Light System | NC 1213, 1214, 1223, 1638, 1643 |
| REFLECTIVE SIGN | | | |
| TRANSPORTATION KIT | | | |
| ARW1450 | ◆ | Preparation for DAHL-Docking station, (Adequate headrest is compulsory) | NC 1199 |
| | | Docking Station for car implementation, please order separately with DAHL Engineering | |
| ARH1494 | ◆ | 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory) | NC 1199 |
| LAP BELT | | | |
| ARH1329 | ◆ | Lap Belt with Auto Lock (x-tra long for Max Seat) | NC 1198, 1199, 0080, 2020 |
| ARH2113 | <input type="checkbox"/> | Lap Belt with Auto Lock (flexible mount in side rails) | NC 1198, 1199, 2110, 1145, (2132+2191) |
| ARH1332 | <input type="checkbox"/> | H-Belt | NC 1198, 1199, 2110, 1145, 0080, 2020 |
| REARVIEW MIRROR | | | |
| ARH1415 | <input type="checkbox"/> | RH Mirror | NC 0007, 1198 |
| ARH1339 | <input type="checkbox"/> | LH Mirror | NC 0007, 1198 |
| ACCESSORIES | | | |
| Krykkehoder | | | |
| ARH1312 | <input type="checkbox"/> | RH | NC 0007, 1199, 1198 |
| ARH1363 | <input type="checkbox"/> | LH | NC 0007, 1199, 1198 |
| TRAY | | | |
| ARH1404 | <input type="checkbox"/> | Swing Away RH | NC 1207, 1707, 0007, 1199, 1198, 1145 |
| ARH1405 | <input type="checkbox"/> | Swing Away LH | NC 1208, 1708, 0007, 1199, 1198, 1145 |